IN THE CLAIMS:

Claim 1 (currently amended): A method for <u>speedy and substantially complete</u> dehalogenation detoxification of <u>at least one of a</u> halogenated aromatic <u>and or a</u> halogenated cyclic compounds compound, comprising:

heating at least-one of said halogenated aromatic and cyclic compound is heated on a support matrix in a closed system at a temperature of [[200]] 250 to 500 °C in the presence of:

(a) a copper compound, in at least one of metallic form and in the form of copper compounds;

(b) a hydrogen donor,

(c) carbon, and

(d) at least one additional reducing substance [[,]] capable of reducing cupric and cuprous ions to a highly reactive elemental copper at said temperature.

Claim 2 (previously presented): The method according to claim 1, wherein at least one of said additional reducing substance consists of a copper compound with the character of a reducing substance.

Claim 3 (previously presented): The method according to claim 1, wherein said support matrix is a material contaminated by the at least one halogenated aromatic and cyclic compound intended for dehalogenation detoxification.